

Thermoforming Sticker Chains



PERFORMANCE IN MOTION



Thermoforming sticker chains

STICKER CHAINS ARE USED TO CONVEY PLASTIC FILM IN THERMOFORMING MACHINES

Regina Thermoforming sticker chains are based on ISO 08B-2, 08A-1 and 10A-1 roller chains. Upon customer request, Regina can custom design sticker chains based on the combination of the guide and attachment shape options reported below.



GUIDE OPTIONS


GUIDED ON CHAIN ROLLERS	GUIDED ON SADDLE	GUIDED ON EXTENDED PIN	GUIDED ON SINGLE OUTBOARD ROLLER	GUIDED ON DOUBLE OUTBOARD ROLLER

ATTACHMENT SHAPE OPTIONS

STANDARD	COINED	DEEP LINK	ASYMMETRIC	CHISEL

PRODUCT FEATURES

- Chains are pre-stretched and matched in pairs.
- Precise length tolerance for exact film positioning.
- High performance lubrication suitable for high temperature. On request with USDA H1 food approved prelubrication.
- Optimized plate hardness for improved wear resistance.






SMOOTH TIP FINISHING FOR CLEANER PIERCING AND REDUCED POWDERING



Regina STICKER chains are manufactured in Regina's European Factories.




08B-2 BASE CHAIN

GUIDED ON CHAIN ROLLER - COINED AND DEEP LINK



ATTACHMENT TYPE 150




ILLIG /TFT/WM style



ATTACHMENT TYPE 1140

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY
		mm	inches	mm	inches	mm	inches		
226/903	08B-2	12,70	1/2	8,51	0,335	7,75	0,305	150	every 2nd pitch
226SR/P001	08B-2	12,70	1/2	8,51	0,335	7,75	0,305	1140	every 2nd pitch

GUIDED ON SADDLE - COINED






ATTACHMENT TYPE 150

BELLAPLAST style

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY
		mm	inches	mm	inches	mm	inches		
226/146	08B-2	12,70	1/2	8,51	0,335	7,75	0,305	150	every 2nd pitch

GUIDED ON CHAIN ROLLER - COINED






ATTACHMENT TYPE 1010

OMV style

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY
		mm	inches	mm	inches	mm	inches		
226/090	08B-2	12,70	1/2	8,51	0,335	7,75	0,305	1010	every 2nd pitch

GUIDED ON SINGLE OUTBOARD ROLLER - COINED






ATTACHMENT TYPE 150

KIEFEL/ GABLER style

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY
		mm	inches	mm	inches	mm	inches		
226/09F	08B-2	12,70	1/2	8,51	0,335	7,75	0,305	150	every 2nd pitch

GUIDED ON DOUBLE OUTBOARD ROLLER - COINED






ATTACHMENT TYPE 150

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY
		mm	inches	mm	inches	mm	inches		
226SR/009	08B-2	12,70	1/2	8,51	0,335	7,75	0,305	150	every 2nd pitch

08A-1 / A40 BASE CHAIN



GUIDED ON EXTENDED PIN - ASYMMETRIC

STICKER ATTACHMENT EVERY 2ND PITCH



IRWIN style




STICKER ATTACHMENT EVERY 4TH PITCH



ATTACHMENT TYPE 167

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY	ASSEMBLY SIDE
		mm	inches	mm	inches	mm	inches			
A40/0BB	08A	12,70	1/2	7,92	0,312	7,85	0,309	167	every 2nd pitch	right
A40/0BD	08A	12,70	1/2	7,92	0,312	7,85	0,309	167	every 2nd pitch	left
A40/11C	08A	12,70	1/2	7,92	0,312	7,85	0,309	167	every 4th pitch	right
A40/11D	08A	12,70	1/2	7,92	0,312	7,85	0,309	167	every 4th pitch	left

GUIDED ON EXTENDED PIN - ASYMMETRIC






IRWIN style

ATTACHMENT TYPE 177

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY	ASSEMBLY SIDE
		mm	inches	mm	inches	mm	inches			
A40/P004	08A	12,70	1/2	7,92	0,312	7,85	0,309	177	every 2nd pitch	left
A40/P003	08A	12,70	1/2	7,92	0,312	7,85	0,309	177	every 2nd pitch	right

GUIDED ON EXTENDED PIN - CHISEL






IRWIN style

ATTACHMENT TYPE 163

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY	ASSEMBLY SIDE
		mm	inches	mm	inches	mm	inches			
A40/0B5	08A	12,70	1/2	7,92	0,312	7,85	0,309	163	every 2nd pitch	left
A40/0B7	08A	12,70	1/2	7,92	0,312	7,85	0,309	163	every 2nd pitch	right

GUIDED ON CHAIN ROLLER - COINED



DINIEPER style


ATTACHMENT TYPE 141

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY
		mm	inches	mm	inches	mm	inches		
A40/0B9	08A	12,70	1/2	7,92	0,312	7,85	0,309	141	every 2nd pitch



10A-1 / A50 BASE CHAIN

GUIDED ON SADDLE - STANDARD

STICKER ATTACHMENT EVERY 2ND PITCH



STICKER ATTACHMENT EVERY 4TH PITCH





ATTACHMENT TYPE 177

BROWN style

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY	ASSEMBLY SIDE
		mm	inches	mm	inches	mm	inches			
A50SR/P001	10A-1	15,875	5/8	10,16	0,400	9,65	0,380	177	every 2nd pitch	right
A50SR/P002	10A-1	15,875	5/8	10,16	0,400	9,65	0,380	177	every 2nd pitch	left
A50/P008	10A-1	15,875	5/8	10,16	0,400	9,65	0,380	177	every 4th pitch	right
A50/P009	10A-1	15,875	5/8	10,16	0,400	9,65	0,380	177	every 4th pitch	left



GUIDED ON SADDLE - COINED



ATTACHMENT TYPE 190

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY
		mm	inches	mm	inches	mm	inches		
A50/1FF	10A-1	15,875	5/8	10,16	0,400	9,65	0,380	190	every 2nd link

GUIDED ON EXTENDED PIN - COINED



ATTACHMENT TYPE 190

REGINA REF.	ISO REF.	CHAIN PITCH P		ROLLER DIAMETER DR		INSIDE WIDTH W		SPIKE ATTACHMENT TYPE	SPIKE ATTACHMENT FREQUENCY
		mm	inches	mm	inches	mm	inches		
A50/P005	10A-1	15,875	5/8	10,16	0,400	9,65	0,380	190	every 2nd link



- ILLIG® is a registered trademark of ILLIG Maschinenbaum GmbH
- TFT® is a registered trademark of WM Wrapping Machinery SA
- OMV® is a registered trademark of OMV Machinery Srl
- Kiefel® is a registered trademark of Kiefel GmbH
- Gabler® is a registered trademark of Gabler Thermoform GmbH
- Irwin® is a registered trademark of Irwin Research and Development Inc
- Dinieper® is a registered trademark of Dinieper Ind. Metalurgica
- Brown® is a registered trademark of Brown Machine LLC



PERFORMANCE IN MOTION

ITALY

REGINA CATENE CALIBRATE S.p.A.
HEAD OFFICE:
Via Monza, 90
23870 Cernusco Lombardone (LC) - Italy
Tel. +39 039 99801
Fax +39 039 9905229
sales@reginachain.net

USA

REGINA USA, INC.
305 E. Mahn Court
Oak Creek, WI 53154 - USA
Tel. 001 414 5710032
Fax 001 414 5710225
sales.us@reginachain.net

FRANCE

REGINA INDUSTRIE s.a.r.l.
Z.A.C. des Chatelliers
34 Rue des Frères Lumière
45800 Saint Jean De Braye - France
Tel. +33 238 836363
Fax +33 238 836413
sales.fr@reginachain.net

MEXICO

REGINA de MEXICO S.A. de C.V.
Av. Aviación 5051-28
Col. San Juan de Ocotan
45019 Zapopan, Jalisco – Mexico
Tel. +52 33 3627 4043
Fax +52 33 3627 3930
sales.mx@reginachain.net

CHINA

REGINA TIANJIN CHAIN & BELT CO., LTD.
Xi Qing Economic Development Area,
Xiang Rui Road n. 17
Tian Xiang Industrial Zone
300385 Tian Jin - China
Tel. +86 22 83961223
Fax +86 22 83961202
sales.cn@reginachain.net

UNITED KINGDOM

REGINA INTERNATIONAL LIMITED
Unit 1, Dyneley Road,
Greenbank Business Park
Whitebirk, Blackburn,
Lancs BB1 3AB - United Kingdom
Tel. +44 1254 661116
Fax +44 1254 59456
sales.uk@reginachain.net

ARGENTINA

REGINA INTERNATIONAL S.A.
Diagonal 190,
1788-1655 José Leon Suarez
Prov. Buenos Aires – Argentina
Tel. +54 11 47296667
Fax +54 11 47203210
sales.ar@reginachain.net

GERMANY

SALES OFFICE
Tel. +49 1705251348
Fax +49 7181489535
sales.de@reginachain.net

SPAIN

CADENAS REGINA ESPAÑA, S.L.
Calle Industria, 37
08120 La Llagosta - Barcelona - España
Tel. +34 93 5742838
Fax +34 93 5740735
sales.es@reginachain.net

THE NETHERLANDS

SALES OFFICE
Tel. +31 610681114
sales.nl@reginachain.net

INDIA

SALES OFFICE
Tel. +91 9881399026
sales.in@reginachain.net

